

Securities ID code:6859

Reference

## Company Presentation and Business Overview

ESPEC CORP.  
February 19, 2026

# Company Profile

## 【Industry-leading manufacturer of environmental test chambers】

Name	ESPEC CORP.
Head Office	3-5-6, Tenjinbashi, Kita-ku, Osaka
Representative	Representative Director and President Satoshi Arata
Established	July 25, 1947
Incorporated	January 13, 1954
Paid-up Capital	¥6,895 million
Issued shares	23,781,394 Shares
Employees	1,860 (consolidated)
Main Business	Manufacture and Sales of Environmental Test Chambers, Energy Device Equipment, Semiconductor Equipment and Plant Factory. After-sales Service, Laboratory Testing Services and others.
Share of Environmental Test Chambers	Over 30% worldwide, Over 60% domestic

\* Market shares are ESPEC estimates



Head Office

(As of March 31, 2025)

# Global Network

Consolidated Subsidiaries  
13 companies  
(Global 9 companies, Domestic 4 companies)

Global Network  
50 locations  
44 companies

Business Facilities in Japan: 16  
Domestic Agencies in Japan: 46

## EUROPE

- ESPEC EUROPE GmbH
- ESPEC IKLIM KABINLERI SATIS VE MUHENDISLIK LIMITED SIRKETI

## ASIA

- SHANGHAI ESPEC ENVIRONMENTAL EQUIPMENT CORP. \*
- ESPEC ENVIRONMENTAL EQUIPMENT (SHANGHAI) CO., LTD.
- ESPEC TEST EQUIPMENT (GUANGDONG) CO., LTD. \*
- ESPEC TEST TECHNOLOGY (SHANGHAI) CO., LTD.
- ESPEC (CHINA) LIMITED
- ESPEC KOREA CORP. \*
- ESPEC ENGINEERING (THAILAND) CO.,LTD
- ESPEC ENGINEERING VIETNAM CO., LTD.

## U.S.A.

- ESPEC NORTH AMERICA, INC \*




## JAPAN

- ESPEC CORP. \*
- ESPEC ASSIST CORP.
- ESPEC MIC CORP.
- ESPEC THERMAL TECH SYSTEM CORP. \*
- COSMOPIA HIGHTECH CORP. \*

● : Consolidated Subsidiaries  
- : Non-consolidated Subsidiaries

\*Denotes company with production functions.

# Summary of ESPEC Business (Per Market / Use)

		Main Products	Market	Use	Sales Composition (FY2024)
Equipment Business	Environmental Test Chambers	<ul style="list-style-type: none"> <li>•Temperature &amp; humidity chamber</li> <li>•Thermal shock chamber</li> <li>•Bench-top type temperature &amp; humidity chamber</li> <li>•HAST chamber</li> <li>•Walk-in type temperature &amp; humidity chamber</li> <li>•Combined temperature &amp; humidity chamber</li> <li>•HALT &amp; HASS test chamber</li> </ul>	<ul style="list-style-type: none"> <li>•Electronic component and equipment market</li> <li>•Automobile market</li> <li>•Semiconductor market</li> <li>•Pharmaceuticals and Foods market</li> <li>•LCD and Organic Electro-Luminescence market</li> </ul>	<ul style="list-style-type: none"> <li>•For R &amp; D</li> <li>•For credibility and evaluation</li> <li>•For production and inspection</li> </ul>	 <p>85%</p>
	Energy Device Equipment	<ul style="list-style-type: none"> <li>•LIB charge-discharge cycle evaluation equipment</li> <li>•LIB safety evaluation system</li> <li>•Fuel cells evaluation system</li> </ul>	<ul style="list-style-type: none"> <li>•Next generation automobile market</li> <li>•Secondary batteries market</li> <li>•Fuel cells market</li> </ul>	<ul style="list-style-type: none"> <li>•For R &amp; D</li> <li>•For credibility and evaluation</li> <li>•For safety evaluation</li> <li>•For production</li> </ul>	
	Semiconductor Equipment	<ul style="list-style-type: none"> <li>•Burn-in system</li> <li>•Semiconductor evaluation system</li> </ul>	<ul style="list-style-type: none"> <li>•Semiconductor market</li> <li>•Automobile market</li> </ul>	<ul style="list-style-type: none"> <li>•For production and inspection</li> <li>•For development and evaluation</li> </ul>	
Service Business	After-sales Service and Engineering	<ul style="list-style-type: none"> <li>•After-sales service</li> <li>•Construction around equipment</li> </ul>	<ul style="list-style-type: none"> <li>•Electronic component and equipment market</li> <li>•Automobile market</li> <li>•Semiconductor market</li> </ul>	—	 <p>12%</p>
	Laboratory Testing Services and Facility Rentals	<ul style="list-style-type: none"> <li>•Laboratory testing services</li> <li>•Equipment rental</li> <li>•Resale</li> <li>•Calibration</li> </ul>		<ul style="list-style-type: none"> <li>•For R &amp; D</li> <li>•For credibility and evaluation</li> </ul>	
Other Business	Environmental Conservation	Reforestation (Tree planting), Waterfront biotope restoration, Urban greening			 <p>3%</p>
	Plant Production Systems	Plant factory, Research seedling cultivation systems			

# History of Environmental Test

## What is Environmental Test

Test to analyze and evaluate effects of environmental factors such as temperature, humidity, pressure, and vibration on various industrial products like electronic components in order to ensure product quality.

1950s  
The environmental test was JIS-standardized in Japan for consumer products.



1970s–1990s  
“Reliability” and “quality control” became important issues in product development. Demand increased dramatically due to a rapid shift toward computerization and the use of electronic components.



Present  
Demand is expanding in the development fields of AI/IoT and next-generation automobiles against the backdrop of digitalization and decarbonization.



### 1961 Japan's First Environmental Test Chamber



Low Temperature & Humidity Chamber "Lucifer"

### Worldwide Market Share No.1

Over 60% domestic  
Over 30% worldwide

\* Market shares are ESPEC estimates


Consecutively selected as a winner of Ministry of Economy, Trade and Industry (METI)  
“Global Niche Top Companies Selection 100” (FY 2013, FY 2020)



Temperature & Humidity Chamber “Platinous J series”

# Transition in Business

Expanding business based on the “environmental creation technology” refined during the course of developing environmental test chambers



Business expansion	<p>1947 Founded</p>	<p>1961 Environmental test chambers developed</p> 	<p>1982 Launching of the semiconductor equipment business</p> 	<p>1986 Launching of the FPD Equipment business</p> 	<p>1994 Launching of the measurement system business</p> 	<p>2011 Launching of the energy device equipment business</p> 	<p>2015 Launching of battery safety testing business</p> 
--------------------	-------------------------	---	---	---	--	---	--

# ESPEC's Strengths

## Top Market Share

Share of Environmental Test Chambers:

Over 30% worldwide, Over 60% domestic (ESPEC estimates)

First in Japan to develop environmental test chambers, rapidly established a brand in Japan and overseas and have held the top market share for many years

## Technological Capabilities Product and Service Capabilities

Developed a variety of products with high quality and meeting customer requirements

Production technology capabilities that enable high-mix, low-volume production

Total solutions for environmental tests, including products, laboratory testing services and technical support, and after-sales service capabilities

## Global Structure

Provide products globally that comply with the needs of respective countries through an extensive global network

- Consolidated subsidiaries: 13 (9 overseas, 4 domestic)
- Overseas production bases: North America 1 company, China 2 companies, South Korea 1 company
- Overseas network: 50 locations (countries or territories), 44 companies

# Equipment Business: Usage Case with Environmental Test Chambers

Ensure reliability of new technologies and new products by repeatedly testing each component, module and finished product

In-vehicle parts/electrical components  
 • ECU  
 • Inverter  
 • Converter  
 • Sensor  
 • Motor  
 etc.



Automotive Batteries  
 • Lithium-ion battery  
 • All solid-state battery  
 etc.

Electric Vehicle (EV) image

## Representative Examples for Environmental Testing

Device	Process/Test Condition		Our Products
<b>【Power Device】</b> 	Inspection	■ Thermal shock test: $-40^{\circ}\text{C} \leftrightarrow +125^{\circ}\text{C}$	Thermal shock chamber
		■ High temperature exposure: $+175^{\circ}\text{C}$ , $+85^{\circ}\text{C}$	(Compact size) Oven
		■ Burn-in test	Burn-in chamber
<b>【In-vehicle Sensor】</b> 	Inspection	■ Temperature cycle test of printed circuit board: $-40^{\circ}\text{C} \leftrightarrow +110^{\circ}\text{C}$	Temperature & humidity chamber (Platinous) /Oven
		■ Temperature characteristic test after soldering: Linear change between $-30^{\circ}\text{C}$ and $+85^{\circ}\text{C}$	Burn-in chamber, Rapid-rate thermal cycle chamber
<b>【CCD/CMOS】</b> 	Production	■ Thermal shock test : $-30^{\circ}\text{C} \leftrightarrow \text{RT} \leftrightarrow +80^{\circ}\text{C}$ , $-55^{\circ}\text{C} \leftrightarrow +155^{\circ}\text{C}$	Thermal shock chamber
		■ Diffusion Test: $+150^{\circ}\text{C}$	Compact size Oven
	Inspection	■ Drying after cleaning: $+85^{\circ}\text{C}$	Clean Oven
		■ Screening: $+85^{\circ}\text{C}$	Temperature chamber (Platinous) / Burn-in chamber
		■ Temperature and humidity test: $+85^{\circ}\text{C} / +85\% \text{rh}$ , $+60^{\circ}\text{C} / 90\% \text{rh}$	Temperature & humidity chamber (Platinous)
Inspection	■ Acceleration test: $+120^{\circ}\text{C} / 100\% \text{rh}$	HAST chamber	
	■ Thermal shock test : $-40^{\circ}\text{C} \leftrightarrow +125^{\circ}\text{C}$ , $-20^{\circ}\text{C} \leftrightarrow +85^{\circ}\text{C}$	Thermal shock chamber	

# Equipment Business: Main New Products

Release Date	Name of product	Features
Dec. 2025	Walk-in Temperature & Humidity Chamber for High Heat-generation Loads	-Handling high heat-generation loads for AI server reliability testing. -Enables testing compliant with ASHRAE standards used for server reliability evaluation.
Oct. 2025	Highly Accelerated Stress Test System (HAST Chamber) Model supporting large substrates	-Meeting testing demands in the AI semiconductor and autonomous driving markets. -Capable of evaluating a large number of samples in a single test, and improving testing efficiency
Apr. 2025	Ultra-Low-Temperature Shock Freezer	-Preservation of perishable food freshness through rapid freezing to an ultra-low temperature of -70° C -Automatically completes the entire process of food freezing, storing, defrosting and reheating
Apr. 2025	Rapid-Rate Thermal Cycle Chamber High-Performance Model	-Capable of specimen temperature ramp control at a rate of 20K/min -Complies with semiconductor package reliability test standards and international standards for electronics and automotive markets, among others
Jan. 2025	Expansion of Commissioned Measurement Services (Thermal Dependent Warpage Measurement Service / Thermal Image Analysis Service )	-Thermal Dependent Warpage Measurement System: Supports reflow oven temperature environment (up to 260°C) and large substrate sizes -Thermal Image Analysis System: High-speed, high-precision thermal image analysis
Nov. 2024	Low Temperature (& Humidity) Chamber Featuring R-449A low GWP* refrigerant Platinous J Series ECO Type	-Offers up to a 70% reduction in power consumption compared to current models through proprietary refrigeration technology.
Oct. 2024	Rapid-Rate Thermal Cycle Chamber Premium Excellent Series (EC-28PXHH) Featuring R-473A, R449A Low GWP* Refrigerant	-Launched by COSMOPIA HIGHTECH CORP., a group company. -Capable of rapid temperature change testing in compliance with international testing standards.

\*GWP:Global Warming Potential. The smaller the value, the less environmental impact.

# Equipment Business: New Product Introduction 1

## Launched low temperature (& humidity) chambers Platinous J Series ECO Type with low-GWP refrigerant

- In November 2024, launched the ECO Type in the Platinous J Series, the global standard model for environmental test chambers
- Proprietary refrigeration technology reduces power consumption by up to 70% compared to conventional models, contributing to the reduction of greenhouse gas emissions by adopting low- GWP\* refrigerant “R-449A”



low temperature (& humidity) chambers  
Platinous J Series ECO Type

## First domestic launch by COSMOPIA HIGHTECH of a rapid temperature change device using low-GWP refrigerant

- In October 2024, COSMOPIA HIGHTECH, part of our Group, launched the first domestic rapid temperature change device equipped with low-GWP\* refrigerant “R-473A”
- Complies with international test standards and contributes to the reduction of greenhouse gas emissions



Rapid Temperature Change Device Premium Excellent Series  
(EC-28PXHH)

\*GWP: Global Warming Potential. The smaller the value, the less environmental impact.

# Equipment Business: New Product Introduction 2

## Commissioned Measurement Services

Contribute to improving the accuracy of thermal analysis CAE and heat dissipation design of semiconductor packages, mounting substrates, etc.

(Expansion in Jan. 2025)

- Thermal Dependent Warpage Measurement Service
  - Visualize the warpage deformation of semiconductor packages and mounting substrates
  - Supports reflow oven temperature environment (-40°C to +260 °C)
  - Supports large substrate sizes up to 300 mm
- Thermal Image Analysis Service
  - Visualize the temperature distribution of specimens under constant temperature environment (-40 °C to +100 °C)



Thermal Dependent Warpage Measurement Service

## -70°C Ultra-Low Temperature Shock Freezer for delicious rapid freezing

- In April 2025, launched the “Ultra-Low Temperature Shock Freezer” capable of freezing food rapidly at -70°C, preserving freshness even for perishable items
- Enables freezing in a low airflow environment, preventing food from drying out, and allows a seamless process from freezing to thawing and reheating in a single unit



Ultra-Low Temperature Shock Freezer

# Equipment Business: Examples of Products Delivered 1

## Walk-in Type Temperature (& Humidity) Chamber, for building materials

(Delivered in Jul. 2018)

Uses:

Reproduce the environment inside apartments (temperature and humidity) and outdoors (weather such as rain, snow, and sunlight), conduct performance evaluations and durability tests of building materials for sash, balcony, etc.



Walk-in Type Temperature (& Humidity) Chambers,  
for use for building materials



Temperature (& Humidity) Chambers are movable so that building materials for testing can be easily changed



Furnished with irradiation equipment and watering (rain) equipment, to reproduce an outdoor weather environment

# Equipment Business: Examples of Products Delivered 2

## Smart System Research Facility, Fukushima Renewable Energy Institute, AIST (Koriyama city, Fukushima)

(Delivered in Mar. 2016)

Product delivered:

Large Walk-in Type Temperature & Humidity Chamber

Uses:

Performance and safety evaluation for large power conditioners for solar power generation Supports heat generation loads of 100 kw and large weights (21 tons)



Large Walk-in Type Temperature & Humidity Chamber

## National Laboratory for advanced energy storage technologies (NLAB), National Institute of Technology and Evaluation (Nanko, Osaka City)

(Delivered in Mar. 2016)

Product delivered:

1. Walk-in Type Temperature & Humidity Chamber for charge- discharge testing
2. External short-circuit testing equipment (energy devices equipment)

Uses:

1. Evaluate the performance of storage batteries by repeatedly charging and discharging them
2. Evaluate safety by confirming that storage batteries will not catch fire or rupture if they short circuit



Walk-in Type Temperature & Humidity Chamber for charge-discharge testing

# Equipment Business: Usage Case with Energy Device Equipment

## Charge-discharge Cycle Evaluation Equipment

Equipment for ensuring the reliability and safety of lithium-ion secondary batteries for next-generation vehicles (e.g., hybrid and electric vehicles)




Secondary Battery Charge-Discharge Evaluation System

Secondary Batteries



Charge-discharge cycle load



Checking the charge-discharge characteristics of secondary batteries

Evaluating the performance and life of secondary batteries


# Equipment Business: Usage Case with Semiconductor Equipment

## Screening

Eliminate defective products to maintain initial-period quality at the final inspection stage of semiconductor device manufacturing



Burn-In Chamber




Elimination of latent early failures

## Reliability Evaluation

Used to evaluate basic failure patterns to ensure reliability in the development of new technologies



Conductor Resistance Evaluation System



Electrical evaluation of reliability of joints in electronic parts

# Service Business

## After-Sales Service and Engineering

Preventive maintenance of products, maintenance service, and the upgrading/improvement and installation/relocation of products

- Speedy response via one of the most extensive networks in Japan
- Providing “network services” utilizing mobile device (SIM) communications and cloud computing

## Laboratory Testing Services and Facility Rentals

Laboratory testing, analysis, and evaluation; consulting; equipment rental; sales of used products; calibration of test equipment, etc.

- The company has Five laboratory testing centers in Japan, one in Thailand, two in China.  
(Japan: Utsunomiya, Toyota, Kariya, Tokoname and Kobe, Thailand, China: Shanghai, Suzhou)
  - The centers in Japan are also recognized as official calibration facilities under the Japan Calibration Service System (JCSS).
- xEV Battery Safety Test & Certification Center provides one-stop testing and certification service for automotive secondary battery safety compliant with United Nations regulations
  - In October 2014, entered into business alliance with TÜV SÜD Japan Ltd., a third-party certification agency
  - In September 2015, opened in Utsunomiya City, Tochigi Prefecture, and in February 2025, opened in Tokoname City, Aichi Prefecture.

■ Acquire ISO/IEC 17025\* test facility certification in the three fields of automobiles, trains and airplanes.

■ First in Japan The Toyota Test Center addressing all test items set forth by the LV124 German Automotive Manufacturer Testing Standards.


\* ISO/IEC 17025: An international standard in which an authoritative third-party organization certifies whether a test facility or calibration organization is capable of producing accurate measurements or calibration results.



Tochigi xEV Battery Safety Test & Certification Center  
(within the Utsunomiya Technocomplex)

# Service Business: After-Sales Service

“Network service” utilizing mobile communications and cloud computing.  
Eases the burden on customers’ tests and machinery management, and reduces equipment downtime.



# Service Business: Laboratory Testing Services

First Compliant with United Nations Regulations  
in the World

Tochigi xEV Battery Safety Test & Certification Center

- In September 2015, opened in Utsunomiya Technocomplex.
- Provide a one-stop service to support the implementation of 9 safety tests and applications for certification by agencies, as stipulated by UN ECE R100-2. Part II, a United Nations regulation.



Crush Testing Equipment  
(No. 1 Safety Test Room)



No. 2 Safety Test Room

Aichi xEV Battery Safety Test & Certification  
Center, One of Japan's Largest Dedicated  
Automotive Rechargeable Battery Testing Centers

- Opened in February 2025 at the Tokoname site of Aichi Next Generation Mobility Test Lab.
- Supports larger and higher capacity automotive rechargeable batteries with cutting-edge testing facilities.



A safety testing room that can accommodate one car

# Service Business: Laboratory Testing Services

Supporting testing of a wide range of in-vehicle electrical components including automation modules

- In September 2019, Toyota Test Center became compatible with all test items set forth by the LV124 German Automotive Manufacturer Testing Standards.
- In April 2025, functions were expanded to simulate the usage environment while EV and automation modules are in operation, and services were newly enhanced for conducting evaluation and measurement.



Toyota Test Center

First Commissioned Testing Service in Japan  
Powered 100% by Renewable Energies

- Since April 2021, commissioned testing services at five test centers across Japan (Utsunomiya, Toyota, Kariya, Kobe, Tochigi xEV Battery Safety Test & Certification Center and Aichi xEV Battery Safety Test & Certification Center ) have been provided using renewable energies.
- Contributing to the reduction of CO2 emissions in customers' supply chains.



Test reports from tests conducted at ESPEC's testing centers receive the Green Power logo to clearly indicate zero CO2 emissions during testing.

# Other Business

## Environmental Preservation

### ■ Reforestation (Tree planting)

Recovery of local forest by selecting species and planting out seedlings using potential natural vegetation data.

### ■ Waterfront biotope restoration

Reconstruction of natural environment, development of vegetative revetments, and water quality improvement using aquatic plants.

### ■ Urban greening

Provision of roof and wall greening systems that use moss to effectively alleviate heat island effect.



## Plant Production Systems

Plant factories and research seedling cultivation systems that optimally control light, temperature, humidity, nutrients, and other factors necessary for plant growth.



Plant factory



Phyto-toron

# Other Business: Plant Production Systems

## Joint Development with NARO Cultivation Environment Emulator

- Obtained a patent jointly with the National Agriculture and Food Research Organization (NARO) and others in October 2022\*.
- Precisely reproduces seasonal carbon dioxide concentration, temperature, humidity, etc.
- Contributes to development of crop production technologies adapted to climate change.



Cultivation Environment Emulator

\* ESPEC MIC Corp. jointly obtained the patent with the National Agriculture and Food Research Organization (NARO), Riken and the Agri Open Innovation Institute.

## Produced a high value-added vegetables using deep sea water

- Production and sales of vegetables high in minerals with the use of deep sea water at a plant factory near Haneda Airport.



Interior of the plant factory and factory-produced vegetables “mineraleaf”

# Other Business: Environmental Preservation/ Plant Production Systems

## At Expo 2025 Osaka-Kansai cooperating in venue greening and aquaponics exhibitions

- Provision of planted mats and seedlings at the venue
  - Supplying mats planted with Japanese native cogon grass and seedlings of silver grass for the “Grand Ring”, and wild grasses and aquatic plants to border the pond’s edge in the “Forest of Tranquility”.
  - Also supplying for the EXPO National Day Hall, Hungary Pavilion, Kuwait Pavilion, Signature Pavilions, etc.



The Grand Ring

- Cooperation in exhibitions at the Osaka Healthcare Pavilion
  - Collaboration with the Osaka Metropolitan University R&D Center for the Plant Factory to support aquaponics exhibits.
  - Provision of vegetable cultivation technologies and expertise.

What is aquaponics?

A recycling production system that combines hydroponics and land-based cultivation. Bodily waste from fish is decomposed by microorganisms and used as a source of nutrients needed to grow plants. This enables vegetables to be grown either without using chemical fertilizers or reducing the amount of their use.



Aquaponics “Cradle of Life”

# Other Business: Examples of Products Delivered

## ■ Arid Land Research Center, Tottori University

(Delivered in Mar. 2016)

### Products delivered:

Experimental System for Analyzing Responses of Dryland plants to Climate Changes (2 units)  
(Simulates the climates of arid lands, including high temperature, low humidity, strong sunlight, and high winds)

### Uses:

Plant cultivation experiments and experiments to develop efficient water-usage technologies in arid lands, research to solve issues facing arid lands



Experimental System for Analyzing Responses of  
Dryland plants to Climate Changes



Experiment in progress  
(Testing wheat for drought stress)

# Introduction to ESPEC's All Weather Simulation Chamber (in the Kobe R&D Center)

Opened the world's first All Weather Simulation Chamber  
Encouraging open innovation and strengthening environmental creation technology

(Mar. 2021)

Replicates dynamic climate environments with high-precision control and variation of seven environmental factors (temperature, humidity, snow, fog, rain, sunlight and wind)

## ■ All Weather Simulation Chamber




Test chamber: Width 6 m x Depth 9 m x Height 3 m  
A black coating is applied to suppress the diffuse reflection of light.

## ■ Examples of tests in dynamic environments



### (1) Tests to replicate the change from sleet to snow

Snow with different amounts of water content can be replicated, including snowfall at temperatures around 0°C, which is close to snowfall in a natural environment. By controlling the snow quality and temperature, the laboratory replicates the change from sleet to snow. The laboratory can confirm the performance of automated driving sensors for which snow accretion has become a problem.



### (2) Experiment to replicate the change from rain to fog

The laboratory controls the thickness, temperature and humidity of fog and replicates the change from rain to fog. The laboratory can confirm the performance of automated driving sensors in response to the effects of fog.

INQUIRIES:

**ESPEC CORP.**

Sustainability Management Department

IR & Public Relations Group

3-5-6, Tenjinbashi, Kita-ku, Osaka 530-8550, Japan

E-mail: [ir-div@espec.jp](mailto:ir-div@espec.jp)